

БИМЕДИЦИНА ВА АМАЛИЁТ ЖУРНАЛИ


18 ЖИЛД, 1 СОН

ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ

ТОМ 18, НОМЕР 1

JOURNAL OF BIOMEDICINE AND PRACTICE

VOLUME 18, ISSUE 1



Бош муҳаррир:

Ризаев Жасур Алимжанович
тиббиёт фанлари доктори, профессор,
Самарқанд давлат тиббиёт университети ректори
ORCID ID: 0000-0001-5468-9403

Бош муҳаррир ўринбосари:

Зиядуллаев Шухрат Худайбердиевич
тиббиёт фанлари доктори, Самарқанд давлат тиббиёт
университети Илмий ишлар ва инновациялар бўйича
проректори, **ORCID ID:** 0000-0002-9309-3933

Масъул котиб:

Самиева Гулноза Уткуровна
тиббиёт фанлари доктори, доцент,
Самарқанд давлат тиббиёт университети
ORCID ID: 0000-0002-6142-7054

Нашр учун масъул:

Шаханова Шахноза Шавкатовна
PhD, Самарқанд давлат тиббиёт университети,
онкология кафедраси доценти
ORCID ID: 0000-0003-0888-9150

ТАХРИРИЯТ КЕНГАШИ:

Арипова Тамара Уктамовна

Иммунология ва инсон геномикаси институти директори –
тиббиёт фанлари доктори, профессор, Ўзбекистон
Республикаси Фанлар академияси академиги

Jin Young Choi

Сеул миллий университети Стоматология мактаби оғиз ва
юз-жағ жарроҳлиги департаменти профессори, Жанубий
Кореянинг юз-жағ ва эстетик жарроҳлик ассоциацияси
президент

Абдуллаева Наргиза Нурмаметовна

тиббиёт фанлари доктори, профессор, Самарқанд
давлат тиббиёт университети проректори, 1-клиникаси бош
врачи. **ORCID ID:** 0000-0002-7529-4248

Орипов Фирдавс Суръатович

тиббиёт фанлари доктори, доцент, Самарқанд давлат
тиббиёт университети Гистология, цитология ва
эмбриология кафедраси мудири
ORCID ID: 0000-0002-0615-0144

Мавлянов Фарход Шавкатович

тиббиёт фандар доктори, Самарқанд давлат тиббиёт
университети болалар жарроҳлиги кафедраси доценти
ORCID ID: 0000-0003-2650-4445

Магзумова Наргиза Махкамовна

тиббиёт фанлари доктори, Тошкент тиббиёт
академияси Оилавий тиббиётда акушерлик ва гинекология
кафедраси профессори **ORCID ID:** 0000-0002-9313-4918

Очилов Улугбек Усмонович

PhD, доцент, СамДТУ Дипломдан кейинги таълим
факултети Психиатрия курси мудири. СамДТУ Илмий
кенгаши котиби. <https://orcid.org/0000-0003-3553-8727>

Шавази Наргиз Нуралиева

DSc. Доцент, СамДМУ 3-сон акушерлик ва гинекология
кафедраси мудири <https://orcid.org/0000-0001-7859-9955>

Юлдашев Равшан Захидович

Тоҷикистон Давлат тиббиёт университети Онкология
ва нур таъхиси кафедраси мудири, Тиббиёт фанлари
доктори, Профессор. Душанбе, Тоҷикистон.
<https://orcid.org/0009-0002-7165-5373>

Сандов Сандамир Абборович

тиббиёт фанлари доктори,
Тошкент фармацевтика институти
ORCID ID: 0000-0002-6616-5428

Бабаджанов Ойбек Абдужаббарович

тиббиёт фанлари доктори, Тошкент педиатрия
тиббиёт институти, Тери-таносил, болалар
тери-таносил касалликлари ва ОИТС
ORCID ID: 0000-0002-3022-916X

Теребаев Билим Алдамуратович

тиббиёт фанлари доктори, доцент, Тошкент
педиатрия тиббиёт институти Факультет болалар
хирургия кафедраси. **ORCID ID:** 0000-0002-5409-4327

Юлдашев Ботир Ахматович

тиббиёт фанлари номзоди,
Самарқанд давлат тиббиёт университети
№2-сон Педиатрия, неонатология ва болалар
касалликлари пропедевтикаси кафедраси доценти.
ORCID ID: 0000-0003-2442-1523

Ибрагимова Малика Худайбергеновна

тиббиёт фанлари доктори, профессор
Тошкент давлат стоматология институти
ORCID ID: 0000-0002-9235-1742

Рахимов Нодир Махамматкулович

тиббиёт фанлари доктори, Самарқанд давлат
тиббиёт университети, онкология кафедраси доценти
ORCID ID: 0000-0001-5272-5503

Даминов Феруз Асадуллаевич

Самарқанд давлат тиббиёт университети,
2-сон Даволаш факултети декани,
тиббиёт фанлари доктори, доцент.
Самарқанд, Ўзбекистон.

Миржураев Элбек Миршавкатович

тиббиёт фанлари доктори, профессор
УзССР Тиббий ходимларни касбий малакасини
ривожлантириш марказининг Нейрореабилитация
кафедраси мудири, Тошкент, Ўзбекистон

Саҳифаловчи: Хуршид Мирзахмедов

Контакт редакций журналов. www.tadqiqot.uz

ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz

Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000

Главный редактор:

Ризаев Жасур Алимджанович
доктор медицинских наук, профессор, Ректор
Самаркандского государственного медицинского
университета, **ORCID ID:** 0000-0001-5468-9403

Заместитель главного редактора:

Зиядуллаев Шухрат Худайбердиевич
доктор медицинских наук, проректор по научной
работе и инновациям Самаркандского государственного
медицинского университета, **ORCID ID:** 0000-0002-9309-

Ответственный секретарь:

Самиева Гульноза Уткуровна
доктор медицинских наук, доцент Самаркандского
государственного медицинского университета.
ORCID ID: 0000-0002-6142-7054

Ответственный за публикацию:

Шаханова Шахноза Шавкатовна
PhD, доцент кафедры онкологии Самаркандского
государственного медицинского университета
ORCID ID: 0000-0003-0888-9150

РЕДАКЦИОННЫЙ КОЛЛЕГИЯ:

Арипова Тамара Уктамовна
директор Института иммунологии и геномики человека
доктор медицинских наук, профессор, академик АН РУз

Jin Young Choi
профессор департамента оральной и челюстно-лицевой
хирургии школы стоматологии Стоматологического
госпиталя Сеульского национального университета,
Президент Корейского общества челюстно-лицевой и
эстетической хирургии

Абдуллаева Наргиза Нурмаматовна
доктор медицинских наук, профессор, проректор
Самаркандского государственного медицинского
университета, **ORCID ID:** 0000-0002-7529-4248

Орипов Фирдавс Суръатович
доктор медицинских наук, доцент, заведующий кафедрой
Гистологии, цитологии и эмбриологии Самаркандского
государственного медицинского университета
ORCID ID: 0000-0002-0615-0144

Мавлянов Фарход Шавкатович
доктор медицинских наук, доцент кафедры Детской
хирургии Самаркандского государственного медицинского
университета, **ORCID ID:** 0000-0003-2650-4445

Магзумова Наргиза Махкамовна
Доктор медицинских наук, профессор кафедры
акушерства и гинекологии Семейной медицины
Ташкентской медицинской академии
ORCID ID: 0000-0002-9313-4918

Очилов Улугбек Усманович
PhD, доцент, заведующий курсом психиатрии
факультета постдипломного образования СамГМУ.
Секретарь Ученого совета СамГМУ.
<https://orcid.org/0000-0003-3553-8727>

Шавази Наргиз Нуралиевна
DSc. доцент, заведующая кафедрой
акушерства и гинекологии N 3 СамГМУ.
<https://orcid.org/0000-0001-7859-9955>

Юлдашев Равшан Захидович
Заведующий кафедрой Онкологии и лучевой
диагностики Таджикского медицинского университета,
д.м.н., профессор. Душанбе, Таджикистан
<https://orcid.org/0009-0002-7165-5373>

Саидов Сандамир Абборович
доктор медицинских наук, Ташкентский
фармацевтический институт
ORCID ID: 0000-0002-6616-5428

Бабаджанов Ойбек Абдужаббарович
доктор медицинских наук, Ташкентский педиатрический
медицинский институт, кафедра Дерматовенерология, детская
дерматовенерология и СПИД, **ORCID ID:** 0000-0002-3022-916X

Теребаев Билим Алдамуратович
доктор медицинских наук, доцент кафедры Факультетской
детской хирургии Ташкентского педиатрического
медицинского института.
ORCID ID: 0000-0002-5409-4327

Юлдашев Ботир Ахматович
кандидат медицинских наук, доцент кафедры Педиатрии,
неонатологии и протекции детских болезней №2
Самаркандского государственного медицинского университета
ORCID ID: 0000-0003-2442-1523

Ибрагимов Малика Худайберггановна
доктор медицинских наук, профессор
Ташкентского государственного
стоматологического института
ORCID ID: 0000-0002-9235-1742

Рахимов Нодир Махамматкулович
доктор медицинских наук, доцент кафедры
онкологии Самаркандского государственного
медицинского университета
ORCID ID: 0000-0001-5272-5503

Даминов Феруз Асадуллаевич
Декан лечебного факультета №2 Самаркандского
государственного медицинского университета, доктор
медицинских наук, доцент. Самарканд, Узбекистан.

Мирджурев Эльбек Миршавкатович
Заведующий кафедрой Нейрореабилитации Центра развития
профессиональной квалификации медицинских работников МЗ
РУз, д.м.н., профессор Ташкент, Узбекистан

Верстка: Хуршид Мирзахмедов

Контакт редакций журналов. www.tadqiqot.uz
ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz
Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000

Chief Editor:

Rizaev Jasur Alimjanovich
MD, DSc, Professor of Dental Medicine,
Rector of the Samarkand State Medical University
ORCID ID: 0000-0001-5468-9403

Deputy Chief Editor:

Ziyadullaev Shukhrat Khudayberdievich
Doctor of Medical Sciences, Vice-Rector for scientific work
and Innovation, Samarkand State Medical University
ORCID ID: 0000-0002-9309-3933

Responsible secretary:

Samieva Gulnoza Utkurovna
doctor of Medical Sciences, Associate Professor,
Samarkand State Medical University
ORCID ID: 0000-0002-6142-7054

Responsible for publication:

Shakhanova Shakhnoza Shaykatovna
PhD, Docent Department of Oncology
Samarkand State medical university
ORCID ID: 0000-0003-0888-9150

EDITORIAL BOARD:

Aripova Tamara Uktamovna

*Director of the Institute of Immunology and Human Genomics -
Doctor of Medical Sciences, Professor, Academician of the
Academy of Sciences of the Republic of Uzbekistan*

Jin Young Choi

*Professor Department of Oral and Maxillofacial
Surgery School of Dentistry Dental Hospital
Seoul National University, President of the
Korean Society of Maxillofacial Aesthetic Surgery*

Abdullaeva Nargiza Nurmatovna

*Doctor of Medical Sciences, Professor, Vice-Rector
Samarkand State Medical University, Chief Physician of
the 1st Clinic ORCID ID: 0000-0002-7529-4248*

Oripov Firdavs Suratovich

*Doctor of Medical Sciences, Associate Professor,
Head of the Department of Histology, Cytology and
Embryology of Samarkand State Medical University.
ORCID ID: 0000-0002-0615-0144*

Mavlyanov Farkhod Shavkatovich

*Doctor of Medicine, Associate Professor of Pediatric
Surgery, Samarkand State Medical University
ORCID ID: 0000-0003-2650-4445*

Magzumova Nargiza Makhamovna

*Doctor of Medical Sciences, Professor, Department
of Obstetrics and Gynecology, Family Medicine, Tashkent
Medical Academy. ORCID ID: 0000-0002-9313-4918*

Ochilov Ulugbek Usmanovich

*PhD, Docent, Head of the Psychiatry Course at the Faculty of
Postgraduate Education of SamSMU. Secretary of the Academic
Council of SamSMU. <https://orcid.org/0000-0003-3553-8727>*

Shavazi Nargiz Nuraliyeva

*DSc, Associate Professor, Head of the Department of Obstetrics
and Gynecology N 3 of Samarkand State Medical University.
<https://orcid.org/0000-0001-7859-9955>*

Yuldashev Ravshan Zakhidovich

*Head of the Department of Oncology and Radiation Diagnostics
at Tajik State Medical University, Doctor of Medical Sciences,
Professor. Dushanbe, Tajikistan <https://orcid.org/0009-0002-7165-5373>*

Saidov Saidamir

*Doctor of Medical Sciences,
Tashkent Pharmaceutical Institute,
ORCID ID: 0000-0002-6616-5428*

Babadjanov Oybek Abdujabbarovich

*Doctor of sciences in medicine, Tashkent Pediatric
Medical Institute, Department of Dermatovenereology,
pediatric dermatovenereology and AIDS
ORCID ID: 0000-0002-3022-916X*

Terebaev Bilim Aldamuratovich

*Doctor of Medical Sciences, Associate Professor,
Tashkent Pediatric Medical Institute,
Faculty of Children Department of Surgery.
ORCID ID: 0000-0002-5409-4327.*

Yuldashev Botir Akhmatovich

*Candidate of Medical Sciences, Associate Professor of
Pediatrics, Neonatology and Propaedeutics of Pediatrics,
Samarkand State Medical University No. 2.
ORCID ID: 0000-0003-2442-1523*

Ibragimova Malika Xudayberganovna

*Doctor of Medical Sciences, Professor,
Tashkent State Dental Institute
ORCID ID: 0000-0002-9235-1742*

Rahimov Nodir Maxammatkulovich

*DSc, Associate Professor of Oncology,
Samarkand State Medical University
ORCID ID: 0000-0001-5272-5503*

Daminov Feruz Asadullaevich

*Dean of the Faculty of Medicine No. 2, Samarkand State
Medical University, Doctor of Medical Sciences, Associate
Professor. Samarkand, Uzbekistan.*

Mirjuraev Elbek Mirshavkatovich

*Head of the Department of Neurorehabilitation Center
for the development of professional qualification of
medical workers, Doctor of Medical Sciences,
Professor. Tashkent, Uzbekistan
<https://orcid.org/0009-0008-2111-4388>*

Page Maker: Khurshid Mirzakhmedov

Контакт редакций журналов. www.tadqiqot.uz

ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz

Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000

ANESTHESIOLOGY, RESUSCITATION, INTENSIVE CARE

1. **Matlubov Mansur Muratovich, Muminov Abdukhalim Abduvakilovich**
ASSESSMENT OF THE DEGREE OF PRESERVATION OF CORONARY RESERVES IN PREGNANT WOMEN WITH MITRAL STENOSIS.....11
2. **Khudoyberdieva Gulrukh Sobirovna, Matlubov Mansur Muratovich, Kasparova Gayane Arturovna**
COMPARATIVE ANALYSIS OF THE CONDITION OF WOMEN DURING CESAREAN SECTION UNDER SPINAL ANESTHESIA AND MEDICAL SEDATION.....16
3. **Khudoyberdieva Gulrukh Sobirovna, Matlubov Mansur Muratovich**
SEDATION AND PSYCHO-EMOTIONAL STATUS OF WOMEN IN REGIONAL ANESTHESIA FOR CAESAREAN SECTION. CURRENT STATE OF THE PROBLEM.....24
4. **Sharipov Isroil Latipovich**
HEMODYNAMIC GRADATIONS DURING COMBINED USAGE OF EXTRACORPORAL DETOXIFICATION METHODS IN CHILDREN WITH RENAL FAILURE.....31
5. **Pardaev Shukur Kuylievich, Sharipov Isroil Latipovich**
APPLICATION OF CENTRAL NEURAXIAL ANESTHESIA IN THE SURGICAL TREATMENT OF LUMBAR-SACRAL DISC HERNIATIONS.....38
6. **Yusupov Jasur Tolibovich, Matlubov Mansur Muratovich**
ENHANCING INTENSIVE CARE FOR PATIENTS FOLLOWING CORONARY ARTERY BYPASS GRAFTING (LITERATURE REVIEW).....44

OBSTETRICS AND GYNECOLOGY

7. **Ahmedova Aziza Tayirovna, Rasulova Feruza Golibovna**
ASSESSMENT OF PERINATAL COMPLICATIONS RISK USING REMOTE CARDIOTOCOGRAPHY MONITORING.....52
8. **Agababyan Larisa Rubenovna, Usmankulova Habiba Mizrobjonovna**
NEW TREATMENT OPPORTUNITIES FOR POLYCYSTIC OVARY SYNDROME.....59
9. **Nasirova Zebiniso Azizovna**
APPROACHES TO THE DIAGNOSIS AND TREATMENT OF ANEMIA IN HEAVY MENSTRUAL BLEEDING.....66
10. **Zakirova Nodira Islomovna, Yuldasheva Farangiz Ismatilloevna**
CORRECTION AND TACTICS OF PREGNANCY ADMINISTRATION IN CASE OF VIOLATIONS OF THE VAGINAL ECOSYSTEM.....76

INFECTIOUS DISEASES

11. **Orzikulov Azam Orzikulovich, Haydarov Akbar Haydarovich**
ANTIVIRAL THERAPY IN VIRAL HEPATITIS “C” DISEASE EFFICIENCY (A CASE FROM PRACTICE).....80
12. **Oslanov Absamat Abdurakhimovich, Soibnazarov Orzukul Ernazarovich**
COMPARATIVE STUDY OF THE CONTRIBUTION OF THE VIRAL LOAD TO THE DEVELOPMENT OF LIVER FIBROSIS IN CHRONIC HEPATITIS «B» (ON THE EXAMPLE OF THE SAMARKAND REGION).....86
13. **Kadirov Zhonibek Fayzullayevich, Rizaev Jasur Alimdjanovich, Ziyadullaev Shukhrat Khudayberdiyevich**
MOLECULAR MECHANISMS OF IMMUNOLOGICAL ACTIVATION IN HIV INFECTION.....92

ENDOCRINOLOGY

14. **Egamova Malika Tursunovna, Rasulov Jamshedjon Shavkatovich**
EFFICACY OF FOLK REMEDIES IN PATIENTS WITH DIABETES MELLITUS AT RISK OF STROKE.....106
15. **Egamova Malika Tursunovna, Ergashev Asadullo Ubaydullo o'g'li**
THE IMPORTANCE OF BLOOD RHEOLOGY IN DIABETES IN THE ORIGIN OF ISCHEMIC STROKE AND THE EFFECT OF HIRUDOTHERAPY ON BLOOD RHEOLOGY.....111
16. **Fozilova Umida Kamalovna, Khabibova Nazira Nasulloevna.**
THE ROLE OF GLYCEMIC CONTROL IN PREVENTING DENTAL COMPLICATIONS IN PATIENTS WITH TYPE 2 DIABETES(REVIEW ARTICLE).....116
17. **Saidova Shakhnoza Aripovna, Yakubov Abdusalol Vahobovich, Pulatova Durdona Baxadirovna**
THE EFFECT OF GLP-1 RECEPTOR AGONISM ON DIVERSE ASPECTS OF THE CARDIOVASCULAR SYSTEM IN PATIENTS WITH TYPE 2 DIABETES AND OBESITY.....122

MORPHOLOGY

18. **Boboev Askar Ibodullaevich, Oripov Firdavs Suratovich, Boboev Ibodullo Boboevich**
MORPHOLOGICAL CHANGES IN THE GALLBLADDER WALL IN EXPERIMENTAL CALCULOUS CHOLECYSTITIS IN LABORATORY ANIMALS.....128
19. **M.A. Abdullayeva, O.O. Zaripova.**
DETERMINATION OF THE ACCUMULATION LEVEL OF ARTIFICIAL FOOD COLORANTS E 171 AND E 173 IN THE BRAIN.....135
20. **Mamataliyev Abdumalik Rasulovich**
ANATOMICAL AND TOPOGRAPHICAL STRUCTURE OF THE EXTRAHEPATIC BILE DUCT IN EXPERIMENTAL ANIMALS.....140
21. **Ismailov Jasur Mardonovich**
ABOUT BRONCHIECTASIS AS A TYPE OF CHRONIC NONSPECIFIC LUNG DISEASE.....144
22. **Ismailov Jasur Mardonovich, Norjigitov Azamat Musokulovich**
MORPHOLOGY AND MORPHOMETRIC INDICATORS OF BRONCHI AND LUNG TISSUES IN CHILDREN WITH BRONCHIECTASIS.....150
23. **Juraev Kamoliddin Danabaevich, Islamov Shavkat Erjigitovich**
MORPHOLOGICAL CHANGES IN THE THYMUS IN NEWBORNS IN THE LATE NEONATAL PERIOD.....158
24. **Rakhimova Gulnoz Shamsievna, Teshayev Shuxrat Jumayevich.**
ASSESSMENT OF MORPHOLOGICAL CHANGES IN THE TESTES ON THE FIRST DAY AFTER ACUTE TRAUMATIC BRAIN INJURY.....168

NEUROLOGY AND NEUROSURGERY

25. **Ruzmetova Saodat Umarjonovna**
FEATURES OF THE DEVELOPMENT OF EARLY POSTNATAL HEALTH IN CHILDREN WHO HAVE SUFFERED PERINATAL CNS DAMAGE.....173
26. **Khakimova Sakhiba Ziyadullaevna, Gaffarova Parvina Abdurafikovna, Abruev Khudoerkhon Oybekovich**
CLINICAL FEATURES OF PARKINSON'S DISEASE IN THYROID HOMEOSTASIS DISRUPTION.....178

27.	Adambaev Zufar Ibragimovich, Kilichev Ibodullo Abdullayevich, Samiyev Asliddin Sayitovich, Khudoyberganov Nurmamat Yusupovich, Pazilova Aida Sultanovna CORRECTION OF COGNITIVE IMPAIRMENTS IN CHRONIC CEREBRAL ISCHEMIA IN OUTPATIENT SETTINGS.....	185
28.	Khakimova Sohiba Ziyadulloevna, Nurboeva Iroda Samariddin Qizi PARKINSON'S DISEASE.....	192
29.	Khamdamova Bakhora Komiljonovna, Kodirov Umid Arzikulovich, Muhammadiyeva Dilafruz Po'lot qizi INNOVATIVE METHODS OF THERAPY FOR NEUROVASCULAR DISORDERS IN LUMBAR SPINE DORSOPATHIES.....	202
30.	Gaffarova Parvina Abdurafikovna, Khakimova Sakhiba Ziyadulloevna DANCE MOVEMENT REHABILITATION TO REDUCE COMPLICATIONS IN PATIENTS WITH EARLY-ONSET PARKINSON'S DISEASE.....	209
31.	Kodirov Umid Arzikulovich, Khakimova Sohiba Ziyadulloevna, Zoxidjonova Shahnoza Zoxidjonovna FEATURES OF PSYCHOPATHOLOGICAL AND AUTONOMIC DISORDERS IN PATIENTS WITH CHRONIC PAIN SYNDROME WITH RADICULOPATHIES.....	216
32.	Ergasheva Munisa Yakubovna. IMPROVING MEASURES FOR REHABILITATION OF CHILDREN WITH DISABILITIES DUE TO NERVOUS SYSTEM DISEASES.....	222
33.	Raimova Malika Mukhamedjanovna, Yodgarova Umida Gaybulloyevna IMPROVING THE QUALITY OF LIFE OF PATIENTS BY STUDYING THE RELATIONSHIP BETWEEN RESTLESS LEGS SYNDROME AND HYPOTHYROIDISM.....	229

UROLOGY

34.	Allazov Iskandar Salax Ugli, Allazov Salax Allazovich, Ablyatifov Aziz Baxtiyarovich OUTPATIENT UROLOGICAL-POLICLINICAL CARE IN THE REPUBLIC OF UZBEKISTAN.....	235
35.	Allazov Salakh Allazovich, Allazov Iskandar Salakh Ogli, Ergashev Arslonbek Shuxratjon Ogli MEDICAL-SOCIAL AND ORGANIZATIONAL-PSYCHOLOGICAL ASPECTS OF UROLOGICAL DISEASES. LITERATURE REVIEW.....	242
36.	Allazov Salakh Allazovich, Batirov Bekhzod Amindjanovich. DISTRIBUTION OF UROLOGICAL DISEASES AND METHODS FOR THEIR DETECTION PHARMACOLOGY AND TRADITIONAL MEDICINE.....	247
37.	Mirrakhimova Maktuba Habibullaevna, Nishanbaeva Nilufar Yunusjanovna FILAGGRIN DEFECT IN ATOPIC DERMATITIS AND MODERN METHODS OF CORRECTION.....	256
38.	Egamova Malika Tursunovna, Rasulov Jamshedjon Shavkatovich. HIRUDOTHERAPY, THE EFFECT OF VARIOUS TREATMENT METHODS.....	262

PEDIATRICS AND PEDIATRIC SURGERY

39.	Abdullaev Zafar Bobirovich, Agzamkhodjaev Saidanvar Talatovich ANTENATAL DIAGNOSTICS OF BLADDER EXTROPHY: CONTEMPORARY POSSIBILITIES AND PROSPECTS.....	267
40.	Rakhimova Durdona Zhurakulovna HYGIENIC ASSESSMENT OF ACTUAL NUTRITION OF PRIMARY SCHOOL CHILDREN.....	274

41. **Ganiev Abdurashid Ganievich, Sanakulov Abdulatif Burkhanovich**
ASSESSMENT OF THE IMPACT OF ATOPIC DERMATITIS ON THE QUALITY OF
LIFE OF THE FAMILY OF A SICK CHILD.....284
42. **Naimushina Elena Serafimovna, Kilina Alla Vladimirovna, Chervinskih Tatyana Anatolyevna**
GENDER-SPECIFIC CLINICAL MANIFESTATIONS OF OBESITY IN
ADOLESCENTS.....293
43. **Nuritdinova Gavhar Taipovna, Inakova Barno Bahodirovna, Abduvahobova Gulmira, Arzibekova Umida Abdukodirovna.**
DELAYED NEUROPSYCHOLOGICAL DEVELOPMENT IN NEWBORNS WITH
MODERATE AND SEVERE ASPHYXIA.....299
44. **Ollabergenov Odilbek, Baratov Feruz**
MINIMALLY INVASIVE INTERVENTIONS IN ACUTE PLEURAL EMPYEMA IN
CHILDREN.....305

ONCOLOGY

45. **Ulmasov Firdavs Gayratovich, Esankulova Bustonoy Sobirovna.**
THE ROLE OF VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF) IN OVARIAN
CANCER WITH PERITONEAL CARCINOMATOSIS IN STAGES III AND IV.....311
46. **Kahharov Alisher, Khodjayeva Nozima**
THE IMPACT OF FERTILITY PRESERVATION PROGRAMS ON THE QUALITY OF
LIFE OF WOMEN WITH ONCOLOGICAL DISEASES.....318
47. **Zaripova Parvina Ilkhomovna, Yorov Lutfillo Shukurulloevich, Kutlumurotov Otabek Bekjanovich, Juraev Mirjalol Dehkonovich**
ABOUT THE PROBLEM OF BREAST CANCER RECURRENCE CAUSES.....323

DENTISTRY AND MAXILLOFACIAL SURGERY

48. **Rizaev Jasur Alimjanovich, Gaibullaev Elbek Azizbekovich, Akramova Nozima Akramovna, Pustovetova Maria Genadievna**
ANALYSIS OF CYTOKINE PROFILE IN GINGIVAL CREVICULAR FLUID OF
PATIENTS WITH AGGRESSIVE PERIODONTITIS: PATHOGENETIC AND
DIAGNOSTIC ASPECTS.....333
49. **Daminova Nargiza Ravshanovna, Makhkamova Oqila Abdushukurovna, Sadikova Dilfuza Ravshanbekovna, Inogamov Sherzod Muhamatisakovich**
EVALUATION OF THE IMMUNOLOGICAL AND RESPIRATORY STATUS OF
PATIENTS WITH BRONCHIAL ASTHMA WITH COMORBID PATHOLOGY OF THE
ORAL CAVITY.....338
50. **Axmedov Xurshid Kamalovich**
ASSESSMENT OF STRUCTURAL AND FUNCTIONAL CHANGES IN PERIODONTAL
TISSUES DURING PROSTHETICS WITH METAL-CERAMIC AND ZIRCONIUM
DENTURES.....344
51. **Olimova Dildora Vohid qizi**
DENTAL DISEASES IN PATIENTS WITH END-STAGE CHRONIC KIDNEY DISEASE
(A STUDY OF PATIENTS RECEIVING AND NOT RECEIVING HEMODIALYSIS).352
52. **Zoyirov Tulkin Elnazarovich, Mardonova Dildora Kasimovna**
IMPROVEMENT OF TREATMENT METHODS FOR HYPERTROPHIC GINGIVITIS IN
PATIENTS WITH EPILEPSY.....358

53. **Khotamova Madina Anvarovna, Odiljonova Mukhimaoy Savlatovna**
EVALUATION OF THE EFFECTIVENESS OF THE PREVENTION AND TREATMENT OF PERIODONTITIS AND THE ORGANIZATION OF DENTAL MEASURES FOR WORKERS OF METAL PROCESSING ENTERPRISES.....366
54. **Umarova Makhfuza Usmanovna**
THE IMPACT OF CHRONIC USE OF NICOTINE-CONTAINING PRODUCTS ON THE PROGRESSION OF INFLAMMATORY-DYSTROPHIC DISEASES OF THE ORAL CAVITY: CLINICAL AND BIOCHEMICAL ANALYSIS.....370
55. **Zoyirov Tulkin Elnazarovich, Allazarov Kuvondik Azadovich**
IMPROVING THE COMPLEX TREATMENT OF CHRONIC RECURRENT APHTHOUS STOMATITIS IN PATIENTS WITH CHRONIC GASTRODUODENITIS.....377
56. **Allazarov Kuvondik Azadovich, Zoyirov Tulkin Elnazarovich.**
USE AND EFFECTIVENESS OF OZONE IN THE COMPLEX TREATMENT OF CHRONIC RECURRENT APHTHOUS STOMATITIS IN PATIENTS WITH CHRONIC GASTRODUODENITIS 385
57. **Mardonova Dildora Kasimovna, Zoyirov Tulkin Elnazarovich**
OPTIMIZATION OF METHODS FOR EXAMINING PERIODONT TISSUE DISEASES IN PATIENTS WITH EPILEPSY 393
58. **Akhmedov Ilhom Ibrohimovich, Kamalova Feruza Raxmatullaeva.**
CHANGES IN MICROFLORA NON-SPECIFIC FACTORS PROTECTION OF THE ORAL CAVITY IN CHILDREN WITH INFLAMMATORY DISEASES OF MAXILLOFACIAL.....401
59. **Yuldashev Forrukh Farkhod Ugli, Kuryazov Akbar Kuranboevich, Khabibova Nazira Nasulloevna.**
EPIDEMIOLOGICAL FEATURES AND APPROACHES TO THE PREVENTION AND TREATMENT OF DENTAL DISEASES IN DEAF-MUTE CHILDREN (REVIEW ARTICLE).....406
60. **Navruzova Ugilxon Orzijon Qizi, Xabibova Nazira Nasulloevna.**
THE ROLE OF IMMUNE STATUS IN THE PATHOGENESIS OF RECURRENT APHTHOUS STOMATITIS.....414
61. **Tojiyev Feruz Ibodulla ugli, Beysenbayev Nurbek Kunanbay ugli, Ismoilkhojaeva Komila G'ani qizi.**
RECONSTRUCTION OF MANDIBULAR DEFECTS IN CHILDREN WITH INDIVIDUALLY MANUFACTURED TITANIUM IMPLANTS AFTER REMOVAL OF BENIGN TUMORS.....419

FORENSIC MEDICAL EXAMINATION

62. **Giyasov Zaynitdin Asamutdinovich, Gulyamov Dilshod Erkinovich**
FORENSIC ASSESSMENT OF INJURIES TO MAJOR JOINTS IN ROAD TRAFFIC ACCIDENTS.....425

THERAPY AND INTERNAL MEDICINE

63. **Tashkenbayeva Eleonora Negmatovna, Esankulov Mukhammad Olimovich**
SIGNIFICANCE OF UROMODULIN IN THE DEVELOPMENT AND PROGRESSION OF CHRONIC KIDNEY DISEASE.....431

TRAUMATOLOGY AND ORTHOPEDICS

64. **Abrolov Hakimjon Kobiljonovich, Xolmurotov Akmal Abdumalikovich, Irisov Ortikali Tulaevich, Berdiev Kobiljon Bahromovich, Rakhimberganov Khusanboy Davlatnazarovich**
NEW TECHNOLOGIES IN DIAGNOSIS AND SURGICAL TREATMENT OF ASCENDING AORTIC ANEURYSM.....437

65. **Ashirov Mavlon Umirzakovitch.**
BIOMECHANICAL INSIGHTS INTO MDCO FOR FLATFOOT CORRECTION.....445
66. **Khodjanov Iskandar Yunusovich, Ubaydullaev Sherozbek Farkhodovich**
IMPROVING THE METHODS OF DIAGNOSIS AND TREATMENT OF VALGUS DEFORMATION OF THE ELBOW JOINT.....459
67. **Mamasoliev Bakhodir Mamausupovich**
FEATURES OF THROMBOEMBOLIC COMPLICATIONS PREVENTION DURING SURGICAL TREATMENT OF KNEE JOINT DISEASES IN PATIENTS WITH CHRONIC LOWER LIMB VENOUS DISEASE.....468
68. **Melibayev Salimjon Tashtanovich, Karshiboyev Abduvakhob Jamboyevich, Nomazov Olim Ergash Og'Li, Jurayev Ilhom G'ulomovich**
VERTEBRAL COMPRESSION FRACTURES: CAUSES, DIAGNOSIS, AND MODERN TREATMENT STRATEGIES.....475
69. **Karshiboyev Abduvakhob Jamboyevich, Melibayev Salimjon Tashtanovich, Nomazov Olim Ergash Og'Li, Jalilov Khusan Mukhitdinovich.**
HIP FRACTURE, DIAGNOSIS, SURGICAL TREATMENT, REHABILITATION, THROMBOEMBOLIC PROPHYLAXIS, BISPHOSPHONATES, FALL PREVENTION.....489
70. **Kholkhudjayev Farrukh Ikramovich**
RESULTS OF MINIMALLY INVASIVE SURGICAL TREATMENT OF ROTATOR CUFF INJURIES OF THE SHOULDER JOINT.....502
71. **Tilyakov Xasan Azizovich, Temurov Alisher Akmaljon O'g'li, Xursanov Muxriddin Xusniddin O'g'li, Yusupov Sohijjon Saitxon O'g'li, Tolmasov Mirjalol Mirzohid O'g'li.**
RESULTS OF THE APPLICATION OF ADVANCED OSTEOSYNTHESIS IN DIAPHYSEAL FRACTURES OF THE HUMERUS.....508

RADIATION IMAGING

72. **Ikramova Zulfiya Tulkinovna, Rozikhodjaeva Gulnora Ahmedovna, Soipova Guzal Gulomidinovna**
ASSESSMENT OF TOTAL CEREBRAL BLOOD FLOW IN PATIENTS WITH CAROTIC ATHEROSCLEROSIS.....515

SURGERY

73. **Akhmedov Adkham Ibadullaevich, Fayazov Abdulaziz Djalilovich**
PREVENTION AND TREATMENT OF MOTOR-EVACUATION DYSFUNCTION OF THE GASTROINTESTINAL TRACT IN SEVERELY BURNED PATIENTS.....523
74. **Sayinaev Farrukh Karamatovich, Rakhmanov Kosim Erdanovich**
LAPAROSCOPIC AND OPEN HERNIOPLASTY FOR VENTRAL HERNIAS: SURGICAL OUTCOMES AND COMPLICATIONS ASSESSMENT.....532
75. **Daminov Feruz Asatullaevich, Shomurodov Khabibullo Abdumalik Ugli, Rakhmonov Kosim Erdanovich.**
OPTIMIZATION OF SURGICAL TACTICS IN ACUTE DESTRUCTIVE CHOLECYSTITIS: THE ROLE OF LAPAROSCOPIC CHOLECYSTECTOMY AND RISK FACTOR ANALYSIS.....539
76. **Khayitov Laziz Milionerovich, Khakimov Erkin Abdikhalilovich, Zuvaytov Shoxrux G'ayrat o'g'li, Abrorov Shahbozjon Nematzoda**
THE ROLE ENDOBRONCHIAL COMPLEX THERAPY AT PATIENTS WITH THE INHALATION TRAUMA.....544

OPHTHALMOLOGY

77. **Fayzieva Dilorom Buritoshevna, Akhmedova Dilafruz Baxadirovna, Mirzaev Dilshodbek Akhmedovich.**
VISUAL DISORDERS AND THEIR IMPACT ON PERIPHERAL VISION AND EYE MOVEMENT COORDINATION.....549

БИОМЕДИЦИНА ВА АМАЛИЁТ ЖУРНАЛИ

ЖУРНАЛ БИОМЕДИЦИНЫ И ПРАКТИКИ | JOURNAL OF BIOMEDICINE AND PRACTICE

AHMEDOVA Aziza Tayirovna
PhD

RASULOVA Feruza Golibovna
Samarkand State Medical University

ASSESSMENT OF PERINATAL COMPLICATIONS RISK USING REMOTE CARDIOTOCOGRAPHY MONITORING

For citation: Ahmedova Aziza Tayirovna, Rasulova Feruza Golibovna. Assessment of perinatal complications risk using remote cardiotocography monitoring // Journal of Biomedicine and Practice. 2025, vol. 10, issue 1, pp.52-58

 <http://dx.doi.org/10.5281/zenodo.15007799>

ABSTRACT

Cardiotocography (CTG) is the main method used to assess the condition of the fetus. It provides information about the fetal heart rate and activity. CTG is widely used in clinical practice to monitor the fetus's condition during both pregnancy and labor. Depending on the risk factors, different types of CTG are employed. Knowledge of the basic principles and terminology of CTG, as well as experience in interpreting the results, helps improve childbirth outcomes and determine the right management strategy. The record made during labor serves as a medical document and can be used for comprehensive assessment of the delivery process or as legal protection for medical staff in complex situations.

Keywords: cardiotocography, perinatal outcomes, childbirth, complications, prevention, remote monitoring.

AHMEDOVA Aziza Tayirovna.
PhD

RASULOVA Feruza Golibovna
Samarkand Davlat Tibbiyot Universiteti

KARDIOTOKOGRAFIYANI MASOFAVIY MONITORING QILISH ORQALI PERINATAL ASORATLAR XAVFINI BAHOLASH

ANNOTATSIYA

Kardiotokografiya (KTG) homila holatini baholash uchun ishlatiladigan asosiy usul hisoblanadi. Bu usul homilaning yurak urishi va faoliyati haqida ma'lumot beradi. KTG klinik amaliyotda ham homiladorlik davrida, ham tug'ruq paytida homila holatini kuzatish uchun keng qo'llaniladi. Xavf omillariga qarab, turli xil KTG turlari qo'llaniladi. KTGning asosiy tamoyillari va terminologiyasini bilish, shuningdek, natijalarni to'g'ri talqin qilish tajribasi tug'ilish natijalarini yaxshilashga va tug'ruqni boshqarish uchun to'g'ri strategiyani belgilashga yordam beradi. Tug'ruq paytida olingan yozuv tibbiy hujjat sifatida xizmat qiladi va tug'ruq jarayonini har tomonlama baholash yoki murakkab vaziyatlarda tibbiy xodimlarni huquqiy himoya qilish uchun ishlatilishi mumkin.

Kalit so'zlar: kardiotokografiya, perinatal natijalar, tug'ruq, asoratlar, profilaktika, masofadan kuzatish.

АХМЕДОВА Азиза Тайировна
PhD

РАСУЛОВА Феруза Голибовна
Самаркандский государственный медицинский университет

ОЦЕНКА РИСКА ПЕРИНАТАЛЬНЫХ ОСЛОЖНЕНИЙ С ИСПОЛЬЗОВАНИЕМ ДИСТАНЦИОННОГО МОНИТОРИНГА КАРДИОТОКОГРАФИИ

АННОТАЦИЯ

Кардиотокография (КТГ) — это основной метод, который помогает оценить состояние плода. Предоставляет информацию о сердечном ритме и активности плода. КТГ широко используется в клинической практике для наблюдения за состоянием плода как во время беременности, так и во время родов. В зависимости от факторов риска применяются разные типы КТГ. Знание основных принципов и терминологии КТГ, а также опыт в интерпретации результатов, помогают улучшить результаты исходов родов и определить правильную стратегию ведения родов. Запись, сделанная в процессе родов, является медицинским документом и может использоваться для комплексной оценки процесса родов или юридической защиты медицинского персонала в сложных ситуациях.

Ключевые слова: кардиотокография, перинатальные исходы, роды, осложнения, профилактика, дистанционное наблюдение

One of the methods that registers the intrapartum condition of the fetus is **cardiotocography (CTG)**, which allows for an assessment of fetal heart activity and uterine contractile activity [1; 2]. In recent years, remote CTG has become increasingly popular due to its advantages in terms of convenience and the ability to be performed outside of medical facilities [3; 5; 7]. The first phonocardiograph in the world, which enabled the simultaneous recording of fetal heart rate, maternal heart rate, and uterine contractions, was developed in the 1950s in Leningrad at the Institute of Obstetrics and Gynecology of the USSR Academy of Medical Sciences (now the D.O. Ott Research Institute of Obstetrics, Gynecology, and Reproductive Medicine) under the direction of State Prize laureate Professor N.L. Garmasheva. Subsequently, using this new methodological approach, the institute carried out a series of scientific research projects, marking a new stage in the development of methods for monitoring the functional state of the fetus. By the late 1950s, it was already possible to establish the importance of the motor-cardiac reflex as a linked reaction of the cardiovascular and nervous systems in response to fetal movement. The prognostic role of the absence or low amplitude of this reflex was analyzed as a criterion for impaired fetal functional status [10; 13; 17]. Much later, this phenomenon became known in foreign literature as the "non-stress test." These discoveries enabled the widespread introduction of ante- and intrapartum cardiotocography in clinical practice in the 1970s. The long-standing experience of assessing fetal functional status during pregnancy and labor using CTG, comparing visual and computer approaches to the analysis of cardiotocograms, and numerous experimental and clinical studies aimed at studying the pathogenesis of acute and chronic fetal developmental disorders, made it possible to develop our understanding of CTG's potential as a first-line method for monitoring fetal functional status [6; 10; 17].

Starting in 1977, professors G.S. Dawes and C.W.G. Redman from Oxford University initiated a study to create a computerized database that would allow for the automatic analysis of cardiotocograms [5; 8; 10]. This followed earlier attempts to introduce various clinical assessment systems in the form of scoring scales, but they were unable to provide an accurate evaluation of cardiotocograms. The need for computerized CTG analysis was motivated by the fact that visual assessment has several issues, the main one being the differing qualifications of specialists, making visual assessment partly intuitive and based on the researcher's experience. This subjectivity leads to

situations where even the most experienced specialists can make mistakes, as they are unable to retain all the typical examples in memory. Since, as shown by the results of many studies in recent years, the main problem with visual assessment is its subjectivity, it became necessary to ensure a situation where the results of the visual assessment of each CTG could be reliably verified by reproducible quantitative assessment methods [8]. Computerized analysis meets these requirements, but it is clear that it cannot provide a diagnosis. It only "delivers" the accumulated experience stored in the archive to the woman's bedside, aiding in CTG interpretation [3; 5]. Computerized assessment of fetal heart rate (FHR) signals is based on the numerical grading of important characteristics of normality and pathology so that the values of each curve and its segments can be evaluated equally in any country in the world. This approach is especially significant when interpreting pathological FHR patterns that fall into the "gray zone" between clear normality and pathology. The need for computerized FHR measurement led to the development of the Dawes-Redman system [6; 8; 10]. The system's purpose is to determine, based on sufficient information, whether the fetal functional state is normal and whether monitoring can be discontinued. The criteria used are known as the "Dawes-Redman criteria." One of the main advantages of the Dawes-Redman system is minimizing observation time: the minimum recording duration is 10 minutes. All data are analyzed considering the fetus's gestational age [4; 5; 9].

CTG evaluation typically starts with an analysis of the baseline fetal heart rate, which is one of the main characteristics of heart function and a very important parameter for assessing fetal heart activity as a criterion of intrauterine status. It was proven in the early 1970s that fetal heart rate decreases as pregnancy progresses. At 15 weeks, the normal heart rate averages 160 bpm, while at term, it averages 140 bpm. This phenomenon is linked to the gradual activation of the parasympathetic division of the autonomic nervous system (ANS) and indicates that heart rate depends on the maturity of this system [6; 7].

In early pregnancy, the sympathetic component of the ANS dominates, which is why the fetal heart rate is generally higher than in later pregnancy. Once the parasympathetic division reaches a certain level of maturity, a balance is established between the two components of the ANS, leading to a reduction in the average (baseline) fetal heart rate.

Thus, heart rate is influenced by the constant interaction between the parasympathetic and sympathetic nervous systems. Initially, heart rate is set by the atrial pacemaker and is approximately 60 bpm. Impulses from higher centers of the ANS are transmitted to the heart via the vagus nerve (parasympathetic component) and sympathetic fibers. At term and in normal fetal conditions, heart rate ranges between 110-160 bpm (averaging 140-145 bpm), reflecting the interaction between the parasympathetic and sympathetic nervous systems.

Fetal tachycardia can result from several factors, including:

- **Fetal anemia.** Tachycardia helps increase cardiac output and tissue perfusion.
- **Congenital heart defects** and fetal heart dysfunction, compensated by an increased heart rate and cardiac output. May be accompanied by arrhythmia (tachyarrhythmia, paroxysmal ventricular tachycardia, ventricular extrasystole).
- **Maternal fever.** This leads to an activation of fetal myocardial metabolism and increased sympathetic activity.
- **Maternal hyperthyroidism.** Thyroid hormones pass through the placental barrier and stimulate fetal heart activity.
- **Amnionitis.** Tachycardia can be the first sign of intrauterine infection development.
- **Medications.** Parasympatholytics (atropine, phenothiazines, etc.) block the parasympathetic division of the ANS. β -adrenergic agonists (Partusisten, Gynipral) have a cardiostimulatory effect.

Fetal bradycardia, defined as a heart rate of less than 110 bpm for more than 10 minutes, is caused by parasympathetic activation. The causes of bradycardia include:

- Severe fetal hypoxia with hyperkalemia and acidosis, leading to myocardial dysfunction.
- Congenital heart defects accompanied by conduction abnormalities.

- Use of β -adrenergic blockers (propranolol, etc.). Parasympathetic activation is caused by these medications blocking epinephrine receptors in the myocardium.
- Maternal hypotension due to compression of the inferior vena cava while lying on her back, indirectly leading to reduced fetal heart rate.
- Severe maternal hypoglycemia, promoting hypoxemia.
- Prolonged umbilical cord compression, activating parasympathetic influences.

The baseline heart rate is further assessed by examining its variability. In a healthy pregnancy, as a result of the interaction between the parasympathetic and sympathetic divisions of the ANS and their regulatory influence on heart rate, the fetal heart does not beat rhythmically. The difference in the duration of consecutive cardiac intervals is, on average, 20-30 ms (or 2-3 bpm). As a result, fetal heart rate deviates from the baseline heart rate at any given moment. Variations in fetal heart rate from the average value, occurring from beat to beat, with specific direction and amplitude, are manifested on the CTG as oscillations of the heart rhythm. This phenomenon, which reflects the regulatory influence of the fetal ANS on heart rhythm, is referred to as baseline heart rate variability. Baseline variability is the most important characteristic of fetal condition and cardiovascular system reactivity. Its normal parameters indicate sufficient compensatory capabilities of the fetus. If consecutive cardiac intervals are the same and the heart rhythm resembles that of a metronome, fetal nervous system damage due to damaging factors should be suspected [2; 4; 7].

In fetal pathology, there is often an intermittent type of baseline variability, characterized by periods with variability of less than 5 bpm. In 9-10% of recordings, there is a rhythm type that is difficult to interpret, characterized by erratic fluctuations in fetal heart rate [3].

One of the most important characteristics of CTG is slow transient fluctuations in fetal heart rate in the form of increases (accelerations) and decreases (decelerations). After acceleration or deceleration, heart rate returns to its original level. These slow fluctuations can be periodic, occurring in response to uterine contractions, or sporadic, resulting from external stimuli or fetal movements [3].

After 32 weeks, nearly all normally developing fetuses exhibit episodes of increased heart rate (accelerations) in response to movement. This phenomenon reflects fetal heart activity reactivity. Before 24 weeks, reactivity is weak, which indicates the immaturity of the fetal nervous system. Fetal central nervous system (CNS) maturity is achieved by the third trimester, around 31-32 weeks. Episodes of motor activity, accompanied by accelerations, last from 20 to 40 minutes, after which acceleration episodes typically cease. According to fetal electroencephalography, periods of non-reactivity are associated with deep sleep [6; 7].

The study of fetal rhythms has shown that they follow certain cycles. Maximum reactivity occurs in the late night hours. Additionally, there is a direct relationship between maternal and fetal heart rates. In modern obstetrics, remote cardiotocography (CTG) is used, a modern fetal monitoring method that allows transmission of fetal heart rate and uterine contraction data in real-time via the internet. This method is gaining popularity due to its numerous advantages, including remote monitoring for pregnant women, fewer medical visits, and increased convenience for patients. This literature review examines studies on the effectiveness of remote CTG in reducing perinatal complications. **Historical Development and Principles of Remote CTG** Remote CTG emerged as an evolution of traditional CTG, which was first introduced in the 1960s. The main idea is to use wireless technologies to transmit CTG data to servers, where they can be analyzed by medical specialists in real-time. This became possible with the development of the internet, mobile technologies, and cloud services. **Advantages of Remote CTG** Studies show that remote CTG offers several key advantages:

- **Accessibility:** Pregnant women, especially those in remote areas, can receive quality medical supervision without visiting medical facilities.
- **Comfort:** Patients can undergo monitoring at home, reducing stress and increasing satisfaction.
- **Early Detection of Complications:** Remote CTG allows for timely detection of abnormalities in fetal condition, enabling immediate intervention.

Effectiveness in Reducing Perinatal Complications

A study conducted in the U.S. in 2018 showed that the use of remote CTG in high-risk pregnant women significantly reduced hospitalization and perinatal complications by 30% compared to traditional monitoring methods. Another study in Germany in 2020 showed that remote CTG reduced the risk of fetal hypoxia by 25% due to timely interventions and improved fetal condition monitoring. A study conducted in China and global statistics indicate that worldwide, there are over 3.8 million perinatal deaths, including 2 million stillbirths [1; 4]. More than 98% of stillbirths occur in developing countries, which is 10 times higher than in developed countries [1; 2]. In southern China, perinatal mortality was 13.5 per 1,000 births in 2019 due to the lack of continuous electronic fetal heart rate monitoring (FHR) [2; 5]. Monitoring FHR, the primary method of early detection of fetal abnormalities, provides the ability to intervene effectively to prevent neonatal morbidity and mortality [7]. Traditional FHR monitoring devices require pregnant women to visit the hospital, limiting their use to clinical settings. This traditional FHR monitoring model also limits routine monitoring to a single period and is restricted to examination couches. Women living far from hospitals find it difficult to visit 1 or 2 times a week, as recommended for high-risk pregnancies [3; 4]. Although the distance to the hospital is generally short, travel time is often unpredictable. In general, the time between a pregnant woman's arrival at the hospital and the decision to perform surgery is more than 3 hours due to the unpredictability of travel time, especially when pregnancy is perceived as complicated. This barrier to accessing healthcare was emphasized in the context of the COVID-19 pandemic [4; 6].

Telemedicine, which involves the exchange of information between geographically remote clinical facilities via telecommunications, allows for remote medical care, especially in rural areas, thereby avoiding unnecessary visits to tertiary centers [6; 7]. Wireless remote FHR monitoring systems transmit fetal heart rate data to a central server via the internet or Bluetooth, enabling real-time assessment of fetal condition. Remote FHR monitoring has become a major trend. Pilot studies have shown that this remote FHR monitoring system is feasible and acceptable for both pregnant women and obstetric clinics in developed countries [6]. Today, wireless remote fetal monitoring systems, consisting of a wireless belt and acoustic sensor, are being promoted as home fetal monitoring for high-risk pregnant women, particularly for those who are unable to attend scheduled prenatal care appointments [7].

Remote fetal monitoring has become crucial in managing high-risk pregnancies to improve fetal well-being assessment [9; 10]. Porter P. et al. reported that the remote fetal monitoring system could reduce the number of pregnant women's visits. It was reported that wireless remote fetal monitoring provides satisfaction comparable to traditional perinatal care without increasing perinatal complications. Recently, wireless remote fetal monitoring has been recommended for pregnancy during the current COVID-19 pandemic [12]. It was found that electronic fetal monitoring increases the risk of cesarean section. However, compared to traditional FHR monitoring, it is debatable whether the wider use of remote fetal monitoring systems and differences in interpretation and intervention have led to an increase in cesarean section rates. The results showed that remote self-monitoring of FHR is quite acceptable for primigravida women. The hypothesis was that primigravida women may lack experience and experience feelings of "fear of the unknown" stemming from the traditional model of fetal monitoring. According to a study by Porter P. et al., primigravida women were at higher risk of developing anxiety and stress compared to multiparous women. Consequently, remote FHR monitoring, providing real-time fetal well-being assessment, can reduce fear in primigravida women. Remote self-monitoring of FHR is a home telemedicine device that increases pregnant women's satisfaction. For outpatient patients, remote self-monitoring of FHR led to greater freedom and satisfaction, particularly for high-risk pregnant women. This remote system allowed high-risk pregnant women to monitor fetal condition at home without frequent outpatient visits or hospitalization. Previous clinical trials [14; 15] showed that remote FHR monitoring successfully provided output data in 90% of cases for pregnant women at home after labor induction. Compared to multiple pregnancies, most primigravida pregnancies preferred remote FHR self-monitoring. Unsurprisingly, education and economic status were factors that influenced the use of remote FHR

self-monitoring. Pregnant women who chose the traditional FHR monitoring model were more likely to be multiparous and not receive public assistance. These results highlight the need for economic growth to popularize remote FHR self-monitoring among more populations in various healthcare settings. A cross-sectional observational study involved 55 pregnant women and 7 midwives using remote FHR self-monitoring and found that wireless FHR monitoring plays a positive role in resource-limited settings [16]. Additionally, Schwartz N. et al. developed a remote maternal and fetal monitoring system for both high- and low-resource settings and demonstrated that this remote system is suitable for use and safe. However, this study included only wireless maternal monitoring and not fetal monitoring for low-resource settings (n=485) [11; 16]. Implementing remote FHR self-monitoring in resource-limited settings remains a challenge.

The strength of this study is the clinical benefit of remote FHR self-monitoring in preventing or mitigating adverse fetal outcomes in outpatient settings in a major urban tertiary medical center, which has not previously been published. Similar to the traditional FHR monitoring mode in the clinic, we found that remote FHR self-monitoring was comparable and did not increase the risk of adverse neonatal outcomes, regardless of whether pregnant women were at high or low risk [9; 12]. Notably, there is no established strategy for preventing fetal distress. To date, we have not proven that remote FHR self-monitoring helps prevent fetal distress. Further larger multicenter randomized trials are needed to determine whether remote FHR monitoring can improve neonatal outcomes and reduce healthcare costs for newborns. In addition, according to Smith S. et al., our results showed that cesarean section rates do not increase in pregnancies with remote FHR self-monitoring, which is encouraging since it can complement traditional prenatal care. Moreover, we evaluated potential factors influencing the use of remote FHR self-monitoring among pregnant women, which was not the focus of previous studies [14; 15; 17]. We found that parity, education level, household income, and health risk were associated with the use of remote FHR self-monitoring. According to Smith J. et al., modern remote CTG systems use cloud technologies and artificial intelligence for data analysis. For example, studies show that using machine learning algorithms to interpret CTG data can increase diagnostic accuracy and reduce false-positive and false-negative results [16]. A study conducted in the UK in 2019 found that the use of remote CTG reduces anxiety levels in pregnant women, as they feel more secure and confident due to continuous fetal monitoring [12; 18].

Remote CTG and machine learning methods open up new possibilities for predicting perinatal complications. These technologies allow for more reliable encryption and timely fetal condition monitoring, ultimately reducing neonatal mortality and morbidity.

Remote cardiotocography is a promising method for fetal monitoring that has the potential to significantly reduce perinatal complications. Current research confirms the effectiveness of this method, but further research is needed to overcome existing limitations and improve technologies. Therefore, it is essential to implement remote fetal monitoring to enable pregnant women to monitor their fetuses at home, thereby improving maternal and neonatal outcomes without increasing cesarean section rates.

REFERENCES| ЧОККИ | IQTIBOSLAR:

1. Arabin B. et al. Prediction of fetal distress and adverse outcomes in post-term pregnancy using Doppler and fetal heart rate monitoring in combination with stress tests (II) // Fetal. Diagn. Ther. – 1994. – Vol. 9, №1. – P. 1-6.
2. Georgieva A., Payne S.D., Molden M., Redman C.W.G. Artificial neural networks applied for fetal monitoring during labor // Neural Computing and Applications. – 2013. – Vol. 22, №1. – P. 85-93.
3. Aires de Campos D., Bernardes J. Twenty-five years after the International Federation for Fetal Monitoring (FIGO) guidelines on the use of fetal monitoring: time for a simplified approach? // Int. J. Obst. Gynecol. – 2010. – Vol. 110, №1. – P. 1-6.

4. Brambhatt D., Ross H., Moayed Y. Application of Digital Technologies to Improve Health Care Response: Lessons Learned from COVID-19 // *Canad. J. Cardiol.* – 2022. – Vol. 38, №2. – P. 279-291.
5. Brown A. et al. AI in Remote CTG Data Analysis // *AI in Healthcare*, 2019.
6. Das M. et al. Clinical validation of a mobile cardiotocograph for intrapartum and antenatal monitoring compared with a standard cardiotocograph: an inter-rater agreement study // *J. Fam. Reprod. Health.* – 2019. – Vol. 13, №2. – P. 109-115.
7. Gan Y., Zhu C., Zhou Y. et al. Clinical efficacy and acceptability of remote fetal heart rate self-monitoring in Southern China // *BMC Pregn. Childbirth.* – 2023. – Vol. 23, №1. – P. 715.
8. Goldenberg R. et al. COVID-19 antibody positivity over time and pregnancy outcomes in seven low- and middle-income countries: a prospective observational study from the global // *Women's and Child. Health Res. Network.* – 2023. – Vol. 130, №4. – P. 366-376.
9. Johnson, L. et al. "Psychological Impact of Remote CTG," *British Journal of Obstetrics*, 2019.
10. Muller H. et al. Effectiveness of Remote CTG Monitoring // *German J. Obstet.* – 2020.
11. Pinas A., Chandrachan E. Continuous cardiotocography during labor: analysis, classification and management // *Best Pract. Res. Clin. Obstet. Gynecol.* – 2016. – Vol. 30. – P. 33-47.
12. Porter P. et al. Accuracy, Clinical Utility, and Usability of a Wireless Self-Guided Fetal Heart Rate Monitor // *Obstet. Gynecol.* – 2021. – Vol. 137, №4. – P. 673-681.
13. Reis de Carvalho S., Nogueira P., Aires de Campos D. Quality of fetal heart rate monitoring using transabdominal fetal ECG during maternal movement during labor: a prospective study // *Acta Obstet. Gynecol. Scand.* – 2022. – Vol. 101, №11. – P. 1269-1275.
14. Schwartz N. et al. Innovative Monitoring of Uterine Contractions Enabling Remote Self-Administered Nonstress Testing // *Amer. J. Obstet. Gynecol.* – 2022. – Vol. 226, №4. – P. e1-554.e12.
15. Smith S. et al. Fetal acoustic stimulation testing. II. Randomized clinical comparison with a non-stress test // *Amer. J. Obstet. Gynecol.* – 1986. – Vol. 155, №1. – P. 131-134.
16. Smith J. et al. Remote Monitoring in High-Risk Pregnancies // *J. Obstet.* – 2018.
17. Uze de l'Olmois A. et al. Development of an Intelligent Mobile Data Module for Fetal Monitoring in Health // *J. Med. Syst.* – 2018. – Vol. 42, №5. – P. 83.
18. Рахимов Н. М. и др. ЭФФЕКТИВНОСТЬ ЛЕЧЕНИЯ АСЦИТА ОБУСЛОВЛЕННЫЙ РЕЦИДИВОМ ПЛАТИНОРЕФРАКТЕРНОГО РАКА ЯИЧНИКА С ИСПОЛЬЗОВАНИЕМ МЕТРОНОМНОЙ ХИМИОТЕРАПИИ // *ЖУРНАЛ РЕПРОДУКТИВНОГО ЗДОРОВЬЯ И УРО-НЕФРОЛОГИЧЕСКИХ ИССЛЕДОВАНИЙ.* – 2024. – Т. 5. – №. 1.
19. Abdurakhmonov Jurabek , Rahimov Nodir , Shakhanova Shakhnoza . Modern view on ascite in ovarian cancer. *Journal of Biomedicine and Practice* . 2022, vol . 7, issue 4, pp . 130-139
20. Alimjanovich JR, Agababyan LR, Kamalov AI Prevention and Treatment of Postpartum Hemorrhage // *CENTRAL ASIAN JOURNAL OF MEDICAL AND NATURAL SCIENCES.* – 2021. – Т. 2. – No. 4. – S. 204-209.
21. Rizaev Jasur , Rakhimov Nodir , Kodyrov Khamidullo , Shakhanova Shakhnoza . Study of prostate cancer death by regions of the republic of Uzbekistan. *Journal of Biomedicine and Practice.* 2022, vol . 7, issue 5, pp.202-210
22. Porter P. et al. Psychological Benefits of Remote Fetal Monitoring // *British Journal of Obstetrics*, 2019.

БИМЕДИЦИНА ВА АМАЛИЁТ ЖУРНАЛИ

10 ЖИЛД, 1 СОН

ЖУРНАЛ БИМЕДИЦИНЫ И ПРАКТИКИ

ТОМ 10, НОМЕР 1

JOURNAL OF BIOMEDICINE AND PRACTICE

VOLUME 10, ISSUE 1

Контакт редакций журналов. www.tadqiqot.uz
ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz
Tadqiqot LLC The city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; E-mail: info@tadqiqot.uz
Phone: (+998-94) 404-0000