



ISSN: 2181-0664
DOI: 10.26739/2181-0664
www.tadqiqot.uz

UZBEK MEDICAL JOURNAL

Volume 7, Issue



2025

ЎЗБЕК ТИББИЁТ ЖУРНАЛИ

7 ЖИЛД, 3 СОН

УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ
ТОМ 7, НОМЕР 3

UZBEK MEDICAL JOURNAL
VOLUME 7, ISSUE 3



ТОШКЕНТ-2025

ЎЗБЕК ТИББИЁТ ЖУРНАЛИ

УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ | UZBEK MEDICAL JOURNAL

№3 (2025)

Бош мухаррир:
Главный редактор:
Chief Editor:

Мадазимов Мадамин Муминович
Ректор Андижанского Государственного
медицинского института, д.м.н., профессор
кафедры факультетской и госпитальной
хирургии

Тахрият раиси:
Председатель редакционной коллегии:
Chairman of the editorial Board:

Алексеев Андрей Анатольевич
Директор ожогового центра НМИЦ хирургии
им. В.Вишневского, главный комбустиолог
Министерства здравоохранения России, д.м.н.,
профессор.

Бош мухаррир ўринбосари:
Заместитель главного редактора:
Deputy Chief Editor:

Салахитдинов Камалиддин Зухриддинович
доцент, д.м.н. кафедры факультетской и
госпитальной хирургии Андижанского
Государственного медицинского института

Маъсул котиб:
Ответственный секретарь:
Executive Secretary:

Досина Маргарита Олеговна
в.н.с. ГНУ "Институт физиологии Национальной академии наук Беларуси", к.б.н., председатель Совета
молодых ученых Отделения медицинских наук НАН Беларуси

ТАХРИЙИ МАСЛАХАТ КЕНГАШИ | РЕДАКЦИОННЫЙ

Хужамбердиев Мамазоир Ахмедович
д.м.н., профессор кафедры госпитальной терапии
Андижанского Государственного медицинского института

Привалова Ирина Леонидовна
д.б.н., профессор кафедры нормальной физиологии
Курского государственного медицинского университета,
заведующая лабораторией физиологии висцеральных систем
НИИ физиологии (Курск)

Гаврилова Елена Анатольевна
д.м.н., профессор, заведующая кафедрой лечебной
физикультуры и спортивной медицины Северо-западного
государственного медицинского университета им. И.И.
Мечникова (Санкт-Петербург)

Чурганов Олег Анатольевич
д.п.н., профессор кафедры ЛФК и спортивной медицины
Северо-Западного государственного
медицинского университета им. И.И. Мечникова (Санкт-
Петербург)

Салахитдинов Зухриддин Салахитдинович
д.м.н., профессор, заведующий кафедрой ВОП №1,
Андижанского государственного медицинского института

Рябчиков Денис Анатольевич
д.м.н., в.н.с. онкологического отделения хирургических
методов лечения ФГБУ "НМИЦ
онкологии им. Н.Н. Блохина" Минздрава России

Гулямов Суръат Саидвалиевич
д.м.н., профессор кафедры оториноларингологии, детской
оториноларингологии, стоматологии
Ташкентского педиатрического медицинского института

Тереза Магалхайз
профессор, заведующая кафедрой Судебной медицины
государственного университета Порту (Португалия)

Юлдашев Илхом Рузиевич
д.м.н., профессор, заведующий кафедрой Аллергологии,
иммунологии, микробиологии
Ташкентского педиатрического медицинского института

Хамраев Абдурашид Журакулович
д.м.н., профессор кафедры госпитальной детской хирургии,
Ташкентского педиатрического медицинского института

РЕДАКЦИОННАЯ КОЛЛЕГИЯ:

Рузиев Шерзод Ибодуллаевич д.м.н., доцент кафедры судебной медицины и медицинского права Ташкентского педиатрического медицинского института

Якубова Олтиной Абдуганиевна доктор медицинских наук, доцент, заведующая кафедрой акушерства и гинекологии, неонатологии факультета повышения квалификации и переподготовки врачей Андижанского государственного медицинского института

Бабич Светлана Михайловна доцент, заведующая кафедрой социальной гигиены Андижанского государственного медицинского института

Цеомашко Наталья Евгеньевна д.б.н, с.н.с., заведующая отделом медико-генетических исследований МНИЛ Ташкентской медицинской академии

Хамраева Лола Салимовна доцент, к.м.н. кафедры офтальмологии, детской офтальмологии Ташкентского педиатрического медицинского института

Усманходжаева Адиба Амирсaidовна доцент, к.м.н., заведующая кафедрой Народной медицины, реабилитологии и физической культуры Ташкентской медицинской академии

Шарипова Фарида Камильевна к.м.н., доцент кафедры психиатрии, наркологии и детской психиатрии, медицинской психологии, психотерапии Ташкентского педиатрического медицинского института

Бузруков Батир Тулкунович д.м.н., профессор, заведующий кафедрой офтальмологии, детской офтальмологии Ташкентского педиатрического медицинского института

Туйчиев Галибжан Урмонжонович к.м.н., доцент, заведующий кафедрой детской хирургии, детской анестезиологии-реаниматологии с курсом офтальмологии и стоматологии факультета усовершенствования и переподготовки врачей АГМИ

Маматхужаева Гулнора Нажмитдиновна доцент, к.м.н. кафедры Офтальмологии Андижанского Государственного медицинского института

Каримова Зиёда Кушбаевна доцент, к.м.н. кафедры Аллергологии, клинической иммунологии, микробиологии Ташкентского педиатрического медицинского института

Усманова Шоира Равшанбековна Ташкент давлат стоматология институти госпитал терапевтик стоматология кафедраси доценти

Расулова Нодира Алишеровна доцент кафедры педиатрии и общей практики ФПДО Самаркандский государственный медицинский университет

Махмудова Лола Иззатилоевна Бухарский Государственный медицинский институт

Адилова Дилнавоз Ризокуловна Бухарский государственный медицинский институт

Тахирова Камолахон Абборовна доцент кафедры Ташкентского государственного стоматологического института

Камилова Адиба Закиржановна Ташкентский государственный медицинский университет

Убайдуллаева Нигора Ильясовна Ташкентский государственный медицинский университет

Юлдашева Насиба Алишеровна Ташкентский государственный медицинский университет

Хатамова Матлюба Тилавовна профессор, Бухарский государственный медицинский институт

Махсумова Ирода Шавкатовна Ташкентский государственный медицинский университет

Абдуллаев Шерзод Рахматович Центр развития профессиональной квалификации медицинских работников

Кадырбаева Алия Ташкентский государственный медицинский университет,

Шаева Рано Гайратовна Доктор медицинских наук, доцент Бухарский государственный медицинский институт

Контакт редакций журналов. www.tadqiqot.uz

ООО Tadqiqot город Ташкент,

улица Амира Темура пр.1, дом-2.

Web: <http://www.tadqiqot.uz/>; Email: info@tadqiqot.uz

Тел: (+998-94) 404-0000

Editorial staff of the journals of www.tadqiqot.uz

Tadqiqot LLC the city of Tashkent,

Amir Temur Street pr.1, House 2.

Web: <http://www.tadqiqot.uz/>; Email: info@tadqiqot.uz

Phone: (+998-94) 404-0000

МУНДАРИЖА | СОДЕРЖАНИЕ | CONTENT

1. Bacteriorium in the post-natural period on the background of afthozny stomatitis 6
Khotamova Matluba Tilavovna
2. Clinical and ophthalmological features of the course of allergic conjunctivitis in
military personnel..... 11
Abdullaev Sh.R., Namozov A.K.
3. Features of anthropometric and clinical-anamnestic characteristics in patients after
meniscectomy.....23
Latipov Ulmasjon Shaykhiddinovich, Yusupov Shukhrat Abdurassulovich MD,
4. Chronic hyperplastic laryngitis.....35
Khushvakova Nilufar Zhurakulovna, Xamidova Farida Mo'minovna, Bo'riyeva Dilnoz
Baxriddinovna
5. Hiccups cancer diseases.....42
Khushvakova Nilufar Zhurakulovna, Xamidova Farida Mo'minovna, Bo'riyeva Dilnoz
Baxriddinovna
6. Markers of hepatic function, inflammation, and endothelial dysfunction in the
long-term period after liver donation in living-related transplantation.....49
Xaybullina Z.R., Ismailov S.I., Tairova L.S., Bondarchuk M.V., Abdushukurova S.E.,
Abdullayeva S.D., Payziyeva N.R., Usmanov A.A., Fayzullayev O.A., Tuksanov E.A.,
Shamsiyeva N.R.
7. Anthropometric and functional characteristics of adolescent athletes depending on
the specifics of sports discipline.....63
Abdumadzhidov M.A. Makhmudov D.E.

УДК: 618.5-08:618.346-008.8

BACTERIORIUM IN THE POST-NATURAL PERIOD ON THE BACKGROUND OF AFTHOZNY STOMATITIS

<https://doi.org/10.5281/zenodo.21605574>**Khotamova Matluba Tilavovna**

Bukhara State Medical Institute named after Abu Ali Ibn Sino

Abstract: Aphthous stomatitis - inflammation of the oral mucosa. This is one of the most controversial types of stomatitis, having a similar clinical picture with many types of stomatitis, and even manifestations of caries complications. This disease is characteristic of pregnant women with reduced immunity. The main symptom of stomatitis is the buffet formation of aft, because of which the name of the disease was formed.

The urgency of the problem: The reasons for the reasons that can cause the occurrence of the disease, doctors include viral infections caused by various malicious pathogens. Aphthae can be formed due to measles, flu, diphtheria, measles and other pathologies. Concomitant symptoms that provoke the development of the disease are called: Deficiency in the body of B vitamins, vitamin C and some micro-substances necessary for health.

Keywords: vitamin B, vitamin C, vitamin deficiency, aphthous stomatitis

TUG'RUQDAN KEYINGI DAVRDA BAKTERIOURIANING

AHAMIIYATI, AVTOZ STOMATIT FONIDA

Xotamova M.T.

Abu Ali ibn Sino nomidagi Buxoro davlat tibbiyot instituti

Rezyume: Aft stomatit - og'iz mukozasining yallig'lanishi. Bu stomatitning ko'plab turdagi stomatit bilan o'xshash klinik ko'rinishi va hatto kariyer asoratlari namoyon bo'lishiga qaramasdan, eng ixtilofli stomatitik turlaridan biri hisoblanadi. Ushbu kasallik immunitet darajasi past bo'lgan homilador ayollarga xosdir. Stomatitning asosiy alomati shundoqqina bufet shakllanishi bo'lib, uning sababi kasallikning nomi hosil bo'lgan.

Muammoning dolzarbligi: kasallikning kelib chiqishiga olib keladigan sabablarning sabablari, shifokorlar qator turli zararli kasalliklarga olib keladigan virusli infektsiyalarni o'z ichiga oladi. Afta qizamiq, gripp, difteriya, qizamiq va boshqa patologiyalar tufayli shakllanishi mumkin. Kasallikning rivojlanishiga sabab bo'ladigan simptomlar: B vitaminlari, S vitamini va sog'liq uchun zarur bo'lgan ba'zi mikro-moddalar tanqisligi.

Kalit so'zlar: B vitamini, C vitamini, vitamin yetishmovchiligi, aftli stomatit

БАКТЕРИОУРИЯ В ПОСЛЕРОДОВОМ ПЕРИОДЕ, НА ФОНЕ АФТОЗНОГО СТОМАТИТА

Хотамова М.Т.

Бухарский государственный медицинский институт имени Абу Али Ибн Сино

Резюме: Афтозный стоматит – воспаление слизистой оболочки полости рта. Это один из самых неоднозначных видов стоматита, имеющих схожую клиническую картину со многими видами стоматитов, и даже проявлениями осложнений кариеса. Это заболевание характерно для беременных с пониженным иммунитетом. Главным симптомом стоматита будет формирование афт, из-за которых и было сформировано название заболевания.

Причины к основаниям, которые могут вызвать возникновение заболевания, медики относят вирусные инфекции, вызванные различными вредоносными возбудителями. Афты могут образовываться вследствие кори, гриппа, дифтерии, кори и других патологий. Сопутствующими признаками, которые провоцируют развитие недуга, называют: Дефицит в организме витаминов группы В, витамина С и некоторых необходимых для здоровья микровеществ.

Ключевые слова: витамин В, витамин С, дефицит витаминов, Афтозный стоматит.

Relevance

Aft stomatit - inflammation of the oral mucosa. This is one of the most controversial forms of stomatitis, with a similar clinical picture with many kinds of stomatitis, and even manifestations of caries complications. This disease is typical for women with low immunity. The main symptom buffet stomatitis formation of the AFL, because of which it was formed and the name of the disease.

Reasons for reasons that may cause the occurrence of the disease, doctors carry viral infections caused by a variety of harmful pathogens. Aphthae may be formed as a result of measles, influenza, diphtheria, measles and other pathologies. Concomitant symptoms that provoke the development of the disease, called: The deficit in the body of B vitamins, vitamin C and some of the necessary health mikroveschestv.

1. Exposure to allergic reactions
2. Pathological processes in the digestive system
3. Heredity
4. Injuries oral mucosa

5. A weakened immune system which can not fully prevent pathogenic microbes. Dental problems oral caries, tartar, pulpitis and another. Pregnancy may bite his tongue or cheek by negligence, scratching the gum hard food. Burn wounds in the mouth.

There are times when a pregnant fired hot tea or soup so much that on the mucous produced burns (1,2). They can cause the formation of the AFL. Often, the disease affects the fair sex under the age of 40 years.

Symptoms: Symptoms of the problem in the early development of the disease is very similar to the common cold. Pregnant usually do not immediately realize that it is not picked up a respiratory virus, namely canker sores. Illness has several stages, which are characterized by individual displays. In the first stage the disease being expectant mother deteriorates. There is lethargy and apathetic state. In the future mother dramatically bad mood, there poludepressivnoe state. Nothing pleases the patient, it does not feel like it. Pregnant refuses food, discomfort when having a meal, slightly more pronounced, but no appetite. If before she was eating for two, which is fine in its position, now an expectant mother suffers appetite (3,4). Body temperature rises. The temperature can be 37 and 38 degrees, In some cases, this symptom introduces future mother misled about the nature and character of the disease. Lymph nodes in the neck and neck begin to swell. On palpation of them, the patient feels pain and discomfort. The next step is the following: On the oral mucosa occur reddened portions. They become larger over time. Then formed sprue - painful sores are small. Pain increases. Pregnant patients eat, talk. Aphthae distributed throughout the oral mucosa, and their number increases every day. They become larger over time. Then formed sprue - painful sores are small. Pain increase. Pregnant patients eat, talk. Aphthae distributed throughout the oral mucosa, and their number increases every day. They become larger over time. Then formed sprue - painful sores are small. Pain increases. Pregnant patients eat, talk. Aphthae distributed throughout the oral mucosa, and their number increases every day.

Purpose of the study: assessment of postpartum bacteriuria on background canker sores.

Materials and methods of inspection

Compare the true rate of bacteriuria in the analysis of midstream urine samples, obtained by suprapubic bladder puncture, as well as evaluate the effectiveness of short-term therapy with amoxicillin, against aphthous stomatitis.

Of 10,909 puerperas at 881 (8.1%) observed microbial growth. Re-examination of urine, taken by suprapubic aspiration was performed in 731 women and only 48% of them bacteriuria was confirmed. The frequency of "pollution" midstream urine according to various authors Amounts 46-69%.

Diagnosis of canker sores in a pregnant woman. Diagnosis can put a qualified dentist, after examining the affected mouth. Education in the form of sores allow the doctor to determine the type of stomatitis and distinguish it of other types of illness (5,7). During the examination the doctor often takes a swab for examination. If you suspect an expert on severe form of pathology, it conducts analysis of the biopsy of the mucous tissue.

Complications: treat arising during pregnancy stomatitis need mandatory. Neglected infectious focus can not be left. Inattention to the disease can negatively affect not only the patient's state of health, but also on the development of the fetus in the womb. Pregnancy is such a time of life when you need to be especially vigilant and listen to any arising ailments. If the expectant mother is suffering, then the embryo growing inside, too, is experiencing a negative impact. Keep this in mind. Do not allow the running sores of stages to the disease did not develop into a chronic form.

Results of the survey

Suprapubic puncture is a simple, safe and informative method. Risk bacteriuria in the postpartum period is increased due to canker sores after operative delivery, epidural anesthesia, and bladder catheterization. Only 27% of women with bacteriuria complained of disorders of the gastrointestinal tract, mouth disease and urination disorders, most of them made of bladder catheterization. 230 puerperas treated with amoxicillin 114 puerperas for 3 days with 1.5 g / day, 116 puerperas - for 10 days at 750 mg / day, 2 Efficacy of antibiotics administration regimes was 96 and 98%.

Treatment of the disease has two goals: The first - to relieve the patient from the disease, a second purpose - to achieve sustained remission. Both goals specialist can reach by local treatment in the complex. Primarily designate specialist processing antiseptic oral medications.

Conclusions

Thus childbirth with aphthous stomatitis and urinary tract infection may be recommended a short course of antibiotics to avoid prolonged exposure to drugs in a nursing mother.

Prevention: Puerpera to avoid the described problems should monitor their diet and personal oral hygiene. It is necessary to thoroughly wash fruits and vegetables, monitor the health of your teeth and visit the dentist in a timely manner. Strengthen the immune system needs to be fortified food, fresh air, full sleep and the right way of life in general. Observing all this, the expectant mother will feel good, and signs of stomatitis never spoil her life.

LITERATURE:

- 1- "Dr. ahborotnomasi» №3 Journal, page. 51-54, 2019 Res.Uzbekistan. D.Ya.Zaripova, M.N.Negmatullaeva, D.I.Tuksanova, F.K.Ahmedov. "Role aleandronovoy acid (ostalon) in the treatment of perimenopausal osteoporosis".
- 2- "Tibbiotda yangi kun »№3 magazine page.14-18, 2019. Res.Uzbekistan. D.Ya.Zaripova, M.N.Negmatullaeva, D.I.Tuksanova, N.G.Ashurova. "The effect of magnesium deficiency states and imbalances steroid life of the organism."
3. "Tibbiotda Yangi kun" magazine №2, page.292-295, 2019. Res.Uzbekistan. M.T.Hotamova, I.I.Tosheva. "Aspects of the management of labor at antenatal discharge of amniotic fluid."

4. "Tibbiotda yangi kun" magazine №2, page.345-349, 2019. Res.Uzbekistan. Khatamova MT, "Peculiarities of immune-hormonal indicators of the post-ferrin period"
5. "Tibbiotda yangi kun" magazine №2, page.316-319, 2019, Res.Uzbekistan. Sh.Zh.Shukurlaeva, M.T.Hotamova. "Criteria for diagnosis after the birth of septic condition and methods of hemostasis"
6. Extremely prolonged premature rupture of membranes / Amici C. [et al.] // Minerva Ginecol. - 2017. - Vol. 49. -P. 509-514.
7. "Tibbiotda yangi kun» №3 magazine page.275-278, 2019, Res.Uzbekistan. Khatamova MT, Soliyeva NK, Current features of chronic pyelonephritis in women of fetural age.

ЎЗБЕК ТИББИЁТ ЖУРНАЛИ

7 ЖИЛД, 3 СОН

УЗБЕКСКИЙ МЕДИЦИНСКИЙ ЖУРНАЛ
ТОМ 7, НОМЕР 3

UZBEK MEDICAL JOURNAL
VOLUME 7, ISSUE 3

Editorial staff of the journals of www.tadqiqot.uz
Tadqiqot LLC the city of Tashkent,
Amir Temur Street pr.1, House 2.
Web: <http://www.tadqiqot.uz/>; Email: info@tadqiqot.uz
Phone: (+998-94) 404-0000

Контакт редакций журналов. www.tadqiqot.uz
ООО Tadqiqot город Ташкент,
улица Амира Темура пр.1, дом-2.
Web: <http://www.tadqiqot.uz/>; Email: info@tadqiqot.uz
Тел: (+998-94) 404-0000